



# Motor Oil 10W-40 Super High Performance Diesel Truck

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue: 10-10-2019 Revision date: 10-10-2019 Supersedes: 14-4-2014 version: 7.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : Motor Oil 10W-40 Super High Performance Diesel Truck  
Product code : 04000A

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use  
Use of the substance/mixture : Automotive care products  
Function or use category : Lubricants and additives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

MPM International Oil Company  
Cyclotronweg 1  
2629 HN Delft - Nederland  
T +31 (0)15 2514030 - F +31 (0)15 2514031  
[msds@mpmoil.nl](mailto:msds@mpmoil.nl) - [www.mpmoil.nl](http://www.mpmoil.nl)

#### 1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00 GMT+1)

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains Benzenesulfonic acid, mono-C16-24 alkyl derivatives, calcium salts.  
May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	(CAS-No.) 72623-87-1 (EC-No.) 276-738-4 (EC Index-No.) 649-483-00-5 (REACH-no) 01-2119474889-13	10 - 24,99	Asp. Tox. 1, H304

# Motor Oil 10W-40 Super High Performance Diesel Truck

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Base oil - not specified	(CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (EC Index-No.) 649-467-00-8 (REACH-no) 01-2119484627-25	1 - 9,99	Asp. Tox. 1, H304
Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts	(CAS-No.) 84605-29-8 (EC-No.) 283-392-8 (REACH-no) 01-2119493626-26	1 - 2,49	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Branched Alkylfenol (M=1)	(CAS-No.) 121158-58-5 (EC-No.) 310-154-3 (REACH-no) 01-2119513207-49	0,1 - 0,99	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361f Aquatic Acute 1, H400 Aquatic Chronic 1, H410
O,O,O-triphenyl phosphorothioate	(CAS-No.) 597-82-0 (EC-No.) 209-909-9 (REACH-no) 01-2119979545-21	0,1 - 0,99	Repr. 2, H361fd Aquatic Chronic 4, H413
Benzenesulfonic acid, mono-C16-24 alkyd derivatives, calcium salts	(EC-No.) 274-263-7 (REACH-no) 01-2119492616-28	0,1 - 0,99	Skin Sens. 1B, H317

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts	(CAS-No.) 84605-29-8 (EC-No.) 283-392-8 (REACH-no) 01-2119493626-26	( 6,25 =<C < 100) Skin Irrit. 2, H315 ( 10 =<C < 12,5) Eye Irrit. 2, H319 ( 12,5 =<C < 100) Eye Dam. 1, H318

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

After inhalation	: No special measures are necessary.
After skin contact	: Wash with plenty of soap and water.
After eye contact	: In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart.
After ingestion	: Do NOT induce vomiting. Rinse mouth. Get immediate medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
------------------	--

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: water spray, powder, foam and CO2.
Unsuitable extinguishing media	: High power water jet.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Exercise caution when fighting any chemical fire. Use water spray/stream to protect personnel and to cool endangered containers.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment	: Wear suitable protective clothing and gloves.
----------------------	---

#### 6.1.2. For emergency responders

Protective equipment	: Wear suitable protective clothing and gloves.
----------------------	---

### 6.2. Environmental precautions

Do not release in groundwater, surfacewater or sewerage. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment	: Prevent spreading over great surfaces (e.g. by damming or installing oil booms).
Methods for cleaning up	: Clean with the help of detergents. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
Other information	: Can be slippery on hard, smooth walking area.

# Motor Oil 10W-40 Super High Performance Diesel Truck

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.

Handling temperature : < 40 °C

Hygiene measures : Wash hands before breaks and at the end of work. When using do not eat, drink or smoke.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : < 40 °C

Storage area : Keep container tightly closed in a cool, well-ventilated place.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

EU	IOELV TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
EU	IOELV STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Germany	TRGS 910 Acceptable concentration notes	

#### Base oil - not specified (64742-54-7)

EU	IOELV TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 h/day
Germany	TRGS 910 Acceptable concentration notes	

Additional information : Based on ACGIH TLV, a concentration of 5 mg/m<sup>3</sup> oilspray (TWA, 8 hour workday) is recommended.

### 8.2. Exposure controls

#### Hand protection:

Wear suitable gloves resistant to chemical penetration

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
	Nitrile rubber (NBR)	6 (> 480 minutes)	>0.35		EN ISO 374

#### Eye protection:

Safety glasses

#### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

#### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Oily.

Colour : Yellowbrown.

Odour : characteristic.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : > 200 °C ASTM D 92

Auto-ignition temperature : No data available

# Motor Oil 10W-40 Super High Performance Diesel Truck

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 872 g/l @ 15°C
Solubility	: Slightly soluble, the product remains on the water surface.
Log Pow	: No data available
Viscosity, kinematic	: 87 mm <sup>2</sup> /s @ 40°C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

The product is stable at normal handling- and storage conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

Strong oxidizing agent. Acids and bases.

### 10.6. Hazardous decomposition products

None under normal conditions.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### Base oil - not specified (64742-54-7)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LD50 dermal rabbit	> 3000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h

#### Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)

LD50 oral rat	3600 mg/kg OECD 401
LD50 dermal rat	20000 mg/kg OECD 402

#### Benzenesulfonic acid, mono-C16-24 alkyd derivatives, calcium salts

LD50 oral rat	> 5000 mg/kg OECD 401
LD50 dermal rabbit	> 5000 mg/kg OECD 402
LC50 inhalation rat (Vapours - mg/l/4h)	> 1,7 mg/l/4h EPA OPP 81-3

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

# Motor Oil 10W-40 Super High Performance Diesel Truck

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Base oil - not specified (64742-54-7)

NOAEL (dermal, rat/rabbit)	> 2000 mg/kg bodyweight
----------------------------	-------------------------

### Benzenesulfonic acid, mono-C16-24 alkyd derivatives, calcium salts

NOAEL (acute, oral, animal/male)	> 500 mg/kg bodyweight OECD 407
----------------------------------	---------------------------------

STOT-repeated exposure : Not classified

### Base oil - not specified (64742-54-7)

NOAEL (dermal, rat/rabbit, 90 days)	> 1000 mg/kg bodyweight/day
-------------------------------------	-----------------------------

NOAEL (subacute, oral, animal/male, 28 days)	> 220 mg/kg bodyweight
--	------------------------

NOAEL (subchronic, oral, animal/male, 90 days)	> 980 mg/kg bodyweight
--	------------------------

Aspiration hazard : Not classified

### Motor Oil 10W-40 Super High Performance Diesel Truck

Viscosity, kinematic	87 mm <sup>2</sup> /s @ 40°C
----------------------	------------------------------

## SECTION 12: Ecological information

### 12.1. Toxicity

General : Based on available data, the classification criteria are not met.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

### Base oil - not specified (64742-54-7)

LC50 fish 1	> 100 mg/l @Pimephales promelas
-------------	---------------------------------

EC50 Daphnia 1	> 10000 mg/l
----------------	--------------

EC50 Daphnia 2	> 10 mg/l @21D
----------------	----------------

EC50 72h algae (1)	> 100 mg/l @Scenedesmus quadricauda 3D
--------------------	--

NOEC chronic fish	> 10 mg/l @21 D
-------------------	-----------------

### Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)

LC50 fish 1	4,5 mg/l Oncorhynchus mykiss
-------------	------------------------------

LC50 fish 2	46 mg/l Cyprinodon variegatus
-------------	-------------------------------

EC50 Daphnia 1	23 mg/l
----------------	---------

EC50 Daphnia 2	0,8 mg/l @21d
----------------	---------------

EC50 other aquatic organisms 2	10000 mg/l @0.1d - Chlorophyta
--------------------------------	--------------------------------

EC50 72h algae (1)	21 mg/l @3d - Chlorophyta
--------------------	---------------------------

NOEC (acute)	1,8 mg/l @4d - Oncorhynchus mykiss
--------------	------------------------------------

NOEC (chronic)	10 mg/l @2d - Daphnia
----------------	-----------------------

NOEC chronic fish	0,4 mg/l @21d - Daphnia
-------------------	-------------------------

NOEC chronic algae	10 mg/l @3d - Chlorophyta
--------------------	---------------------------

### Branched Alkylfenol (M=1) (121158-58-5)

LC50 fish 1	3,2 mg/l
-------------	----------

EC50 Daphnia 1	0,072 mg/l
----------------	------------

NOEC chronic fish	1 mg/l
-------------------	--------

### O,O,O-triphenyl phosphorothioate (597-82-0)

LC50 fish 1	> 100 mg/l Brachydanio rerio
-------------	------------------------------

# Motor Oil 10W-40 Super High Performance Diesel Truck

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50 Daphnia 1	> 100 mg/l Daphnia magna
EC50 72h algae (1)	14,4 mg/l Scenedesmus quadricauda

### Benzenesulfonic acid, mono-C16-24 alkyd derivatives, calcium salts

LC50 fish 1	> 1000 mg/l pimephales promelas
LC50 fish 2	> 10000 mg/l cyprinodon variegatus
EC50 Daphnia 1	> 1000 mg/l
EC50 other aquatic organisms 2	> 10000 mg/l 0.1d - slib
EC50 96h algae (1)	> 1000 mg/l Chlorophyta

### 12.2. Persistence and degradability

#### Base oil - not specified (64742-54-7)

Biodegradation	31 % @28D -OECD TG 301 B
----------------	--------------------------

### Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)

Persistence and degradability	Poorly biodegradable.
Biodegradation	1,5 % @28d OECD TG 301 B

### Branched Alkylfenol (M=1) (121158-58-5)

Persistence and degradability	Not readily biodegradable. 10 % biodegradation . (CO2 evolution). 56 days.
Biodegradation	25 % @28d OECD TG 301 D

### Benzenesulfonic acid, mono-C16-24 alkyd derivatives, calcium salts

BOD (% of ThOD)	8 % ThOD 28d - OECD TG 301 D
-----------------	------------------------------

### 12.3. Bioaccumulative potential

#### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

Log Pow	> 6
Bioaccumulative potential	highly bioaccumulative.

### Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)

Log Kow	0,56 Measurements
Bioaccumulative potential	not bioaccumulable.

### Branched Alkylfenol (M=1) (121158-58-5)

Bioconcentration factor (BCF REACH)	209 - 1601
Log Kow	7,14 measurements

### O,O,O-triphenyl phosphorothioate (597-82-0)

BCF fish 1	2,551
------------	-------

### Benzenesulfonic acid, mono-C16-24 alkyd derivatives, calcium salts

Log Kow	4,46 - 10,88 OECD 107/117
---------	---------------------------

### 12.4. Mobility in soil

#### Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)

Soil	No information available.
------	---------------------------

### Branched Alkylfenol (M=1) (121158-58-5)

Log Koc	4,4 - 4,67
Soil	No data available.

# Motor Oil 10W-40 Super High Performance Diesel Truck

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.5. Results of PBT and vPvB assessment

#### Component

Branched Alkylfenol (M=1) (121158-58-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)	This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) : Waste disposal according to official state regulations.  
Waste disposal recommendations : Remove to an authorized waste treatment plant.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG
<b>14.1. UN number</b>	
Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>	
Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>	
Not applicable	Not applicable
<b>14.4. Packing group</b>	
Not applicable	Not applicable
<b>14.5. Environmental hazards</b>	
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No
No supplementary information available	

### 14.6. Special precautions for user

#### Overland transport

No data available

#### Transport by sea

No data available

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

# Motor Oil 10W-40 Super High Performance Diesel Truck

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 16: Other information

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Repr. 2	Reproductive toxicity, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1B	Skin sensitisation, category 1B
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361f	Suspected of damaging fertility.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH208	Contains Benzenesulfonic acid, mono-C16-24 alkyd derivatives, calcium salts. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

#### SDS MPM REACH

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*