

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 26-1-2018 Supersedes: 7-11-2014 version: 3.1

1.1. Product ide		tance/mixture and of the	company/undertaking	
Product name		: Window Clean Ready to Us	se	
Product code		: 74000		
1.2. Relevant id	lentified uses of the substa	nce or mixture and uses ac	lvised against	
1.2.1. Relevant id	lentified uses			
Jse of the substar	nce/mixture	: 0.2 - 2 % in water		
1.2.2. Uses advis	ed against			
No additional infor	-			
	he supplier of the safety da	ita sheet		
MPM International Cyclotronweg 1	l Oil Company			
2629 HN Delft Del	ft - Nederland			
	030 - F +31 (0)15 2514031			
msds@mpmoil.nl				
Emergency number	/ telephone number er	: +31 (0)15 2514030 (08.00 - 17	7.00 GMT+1)	
Country	Official advisory body	Address	Emergency number	Comment
reland	National Poisons Information	Beaumont Hospital Beaumont		
	Centre	Road	. 1000 1 007 0004	
	Beaumont Hospital	9 Dublin		
United Kingdom	Guy's & St Thomas' Poisons	Avonley Road	+44 20 7188 7188	
	Unit Madical Taxiaalagy Unit	SE14 5ER London		
	Medical Toxicology Unit, Guy's & St Thomas' Hospital			
	Trust			
	lazards identification			
2.1. Classificati	ion of the substance or mix	ture		
Classification ac	cording to Regulation (EC) No.	1272/2008 [CLP]		
Not classified				
Not classified				
	chemical, human health and e	nvironmental effects		
No additional infor				
2.2. Label elements				
Labelling according to Regulation (EC) No. 1272/2008 [CLP]				
Extra phrases : Safety data sheet available on request. 2.3. Other hazards				
No additional infor				
	·			
SECTION 3: C	composition/information	on ingredients		
3.1. Substance				
Not applicable				
3.2. Mixtures				

3.2.	Mix	ctures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
TRIETHANOLAMINE	(CAS-No.) 102-71-6 (EC-No.) 203-049-8	< 5	Not classified
propan-2-ol; isopropyl alcohol; isopropanol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0	< 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2-butoxyethanol	(CAS-No.) 111-76-2 (EC-No.) 203-905-0 (EC Index-No.) 603-014-00-0 (REACH-no) 01-2119475108-36	< 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
-----------------	--	-----	--

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	Keen for her was the second
General	: If you feel unwell, seek medical advice (show the label where possible).
After inhalation	: If experiencing respiratory symptoms: Take victim to fresh air, in a quiet place and if necessary take medical advice.
After skin contact	: Rinse skin with water/shower.
After eye contact	: Consult an ophtalmologist if irritation persists.
After ingestion	: Rinse mouth. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and effects,	
After eye contact	: Eye irritation.
After ingestion	: Ingestion may cause nausea, vomiting and diarrhea.
4.3. Indication of any immediate medical att No additional information available	ention and special treatment needed
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: No fire hazard.
5.2. Special hazards arising from the substa	ance or mixture
No additional information available	
5.3. Advice for firefighters	
No additional information available	
SECTION 6: Accidental release measure	es
6.1. Personal precautions, protective equipr	ment and emergency procedures
6.1.1. For non-emergency personnel	
No additional information available	
6.1.2. For emergency responders	
No additional information available	
6.2. Environmental precautions	
Prevent entry to sewers and public waters.	
6.3. Methods and material for containment a	
Methods for cleaning up	: Take up liquid spill into absorbent material.
6.4. Reference to other sections	
Information on personal protective equipment - see C	Chapter 8. Information on disposal - see Section 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Does not require any specific or particular technical measures.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including a	iny incompatibilities
Storage temperature	: > 0 °C
Storage area	: Store in a closed container. Keep in a cool, well-ventilated place.
7.3. Specific end use(s)	
Cleaner.	
SECTION 8: Exposure controls/persona	al protection
ocorrow o. Exposure controls/persona	

8.1. Control parameters			
TRIETHANOLAMINE (102-71-6)			
EU	IOELV TWA (mg/m³)	5 mg/m³	
Germany	TRGS 910 Acceptable concentration notes		

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
EU	IOELV TWA (mg/m ³) 997 mg/m ³	
Germany	TRGS 910 Acceptable concentration notes	

2-butoxyethanol (111-76-2)			
EU	IOELV TWA (mg/m ³)	98 mg/m³	
EU	IOELV TWA (ppm)	20 ppm	
EU	IOELV STEL (mg/m ³)	246 mg/m³	
EU	IOELV STEL (ppm)	50 ppm	
Germany	TRGS 910 Acceptable concentration notes		

8.2. Exposure controls **Technical measures:**

Ensure good ventilation of the work station.

Hand protection:					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35 mm		EN ISO 374
Eye protection:					
Safety glasses					
Respiratory protection:					
None under normal use. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended					

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties			
	9.1. Information on basic physical and chemical properties		
Physical state	: Liquid		
Colour	: orange. red.		
Odour	: characteristic.		
Odour threshold	: No data available		
pH	: 11,3		
Relative evaporation rate (butylacetate=1)	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: 78 (78 – 360) °C		
Flash point	: No data available		
Auto-ignition temperature	: 230 °C		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: No data available		
Vapour pressure	: 4300 Pa @ 20°C		
Relative vapour density at 20 °C	: No data available		
Relative density	: No data available		
Density	: 1000 g/l		
Solubility	: Water: Complete.		
Log Pow	: No data available		
Viscosity, kinematic	: 1 mm²/s @ 20°C		
Viscosity, dynamic	: No data available		
Explosive properties	: No data available		

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Oxidising properties	: No data available
Explosive limits	: 1,13 – 12 vol %
9.2. Other information	
VOC content	: 42,5 g/l

SECTION 10: Stability and reactivity
10.1. Reactivity
None under normal conditions.
10.2. Chemical stability
The product is stable at normal handling- and storage conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
None under normal use.
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products
No additional information available

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Window Clean Ready to Use	
LD50 oral rat	3852 mg/kg calculated.

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)

2-butoxyethanol (111-76-2)	
LD50 oral rat	300 – 2000 mg/kg
LD50 oral	300 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	400 mg/kg
LC50 Inhalation - Rat (Vapours)	11 mg/l/4h
Skin corrosion/irritation :	Not classified
	pH: 11,3
Serious eye damage/irritation :	Not classified
	pH: 11,3
Respiratory or skin sensitisation :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
2-butoxyethanol (111-76-2)	
NOAEL (dermal, rat/rabbit, 90 days)	> 150 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Aspiration hazard :	Not classified
Window Clean Ready to Use	
Viscosity, kinematic	1 mm²/s @ 20°C

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information		
12.1. Toxicity		
Hazardous to the aquatic environment, short-term (acute)	: Not classified	
Hazardous to the aquatic environment, long-term (chronic)	: Not classified	

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LC50 fish 1	10000 mg/l Test organisms (species): Pimephales promelas
LC50 fish 2	9640 mg/l Test organisms (species): Pimephales promelas

2-butoxyethanol (111-76-2)	
LC50 fish 1	1490 mg/l Lepomis macrochirus
EC50 Daphnia 1	≈ 1800 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	911 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h algae (2)	1840 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '21 d'
12.2. Persistence and degradability	
Window Clean Ready to Use	
Persistence and degradability	The surfactants contained in the product are biodegradable according to the requirements of the Detergent Directive 648/2004/EC.
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	

SECTION 13: Disposal considerations
13.1. Waste treatment methods
Product/Packaging disposal recommendations

: Acidic or alkaline aqueous waste may be discharged to sewers after dilution, neutralization, or treatment and if they are free of floating oil.

SECTION 14: Transport information		
In accordance with ADR / RID / IMDG / IATA / ADN		
ADR	IMDG	
14.1. UN number		
Not applicable	Not applicable	
14.2. UN proper shipping name		
Not applicable	Not applicable	
14.3. Transport hazard class(es)		
Not applicable	Not applicable	
14.4. Packing group		
Not applicable	Not applicable	
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	
No supplementary information available		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.6. Special precautions for user

Overland transport

No data available

Transport by sea

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content

: 42,5 g/l

15.1.2. National regulations

No additional information available 15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.

SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.